


















WEED IDENTIFICATION			
Seedling Weeds			
			
Chickweed	Mouse Ear Chickweed	Creeping Buttercup	Creeping Thistle
			
Dock	Redshank	Speedwell	Fat Hen
Dock Control			
			
Too early	Just right	Too late	
Other Common Weeds			
			
Ragwort	Spear Thistle		
			
Creeping Thistle	Mature Buttercups		
			
Dandelion	Plantain		

## Rush Control Best Practice

1. Spray rushes when actively growing — ideally around 24cm — if rushes are strong top first and spray regrowth.
2. Using a sticker such as ‘Torpedo II’ at 100ml per 100 litres of water will increase the efficacy of the chemical.
3. Aim to have 48 hours dry after spraying to ensure good uptake (do not spray when rain is forecast).
4. Top rushes approximately 4 weeks after spraying to allow grass to thicken.
5. Refer to the Drinagh Sprays Brochure for recommended products and usage rates.

## Sustainable Use of Pesticides Directive (SUD)

- Since November 2015, only a registered professional user can apply pesticides authorised for professional use only.
- Individuals who are not registered as a professional user can buy pesticides authorised for professional use but these pesticides must be applied by a registered professional user.

**There is a requirement to keep appropriate records with details of the registered professional user who applied the pesticides.**

## Sprayer Testing Service

- Under EU Legislation, all sprayers with a boom greater than 3 meters must be tested by a registered Inspector of Pesticide Application Equipment.
- The interval between inspections must not exceed 3 years.
- New equipment must be inspected at least once within a period of five years after purchase. Sprayer testing can be carried out in Drinagh by our Department of Agriculture registered technician. Contact James Walsh on 028-30800 to arrange a test.

For further queries please contact:

Darren Lynch 087-2140715

Tim Regan 086-8241635

# GRASSLAND WEED CONTROL GUIDE



**Drinagh**

*Taking Pride in Quality*



Product	Doxstar Pro	Dockleen	Desire	Envy	Pastor Trio	Forefront T	Hurler	Eagle	ProClova	Agroxone 50	Lupo	D-50	Thistlex	Scrubkiller Ultra	Grazon Pro	Gallup	Roundup	Roundup Flex
Active Ingredients	150g Fluroxypyr 150g Triclopyr	150g Fluroxypyr 150g Triclopyr	100g Fluroxypyr 2.5g Florasulam	100g Fluroxypyr 2.5g Florasulam	100g Fluroxypyr 2.5g Florasulam 80g Clopyralid	30g Aminopyralid 240g Triclopyr	200g Fluroxypyr	75% Amidosulfuron	360g Amidosulfuron 75.5g Florpyrauxifen-benzyl	500g MCPA	345g 2,4-D 345g MCPA	500g 2,4 D	200g Clopyralid 200g Tricolpyr	60g Clopyralid 240g Triclopyr	60g Clopyralid 240g Triclopyr	360g Glyphosate	360g Glyphosate	480g Glyphosate
Established Grassland	2.0 l/ha	2.0l/Ha	2.0l/Ha	2.0 l/ha	2.0 l/ha	2.0 l/ha	2.0 l/ha	40-60 g/ha	125g/Ha + 250ml/Ha XL	2.7 l/ha	4.0 l/ha	3.3 l/ha	10. l/ha	Spot Treatment. 60ml per 10 litres of water	Spot Treatment. 60ml per 10 litres of water	5 l/ha	5 l/ha	4.5 l/ha
Reseeding Post Emergence	N/A	N/A	1.5l/Ha	1.5 l/ha	1.0 l/ha	N/A	0.75 l/ha	40 g/ha	85g/Ha + 165ml/Ha XL	N/A	N/A	N/A	N/A			N/A	N/A	N/A
Clover Safe	No	No	No	No	No	No	No	Yes	Yes	No	No	No	No			No	No	No
Water Rate	200-400 l/ha	200-400 l/ha	200-400 l/ha	200-400 l/ha	200-400 l/ha	200-400 l/ha	200-400 l/ha	300-400 llha	200-400 l/ha	200-400 l/ha	200-400 l/ha	200-400 l/ha	200-400 l/ha			200-400 l/ha	200-400 l/ha	150-250 l/ha
Stock Withholding Period	7 days	7 days	7 days	7 days	7 days	7 days	3 days	7 days	7 days	14 days	14 days	14 days	7 days	7 days	7 days	7 days	7 days	5 days
Cutting Interval	28 days	28 days	28 days	28 days	28 days		28 days	21 days	14-21 days	14 days	14 days	14 days	28 days	28 days	28 days	7 days	7 days	5 days
Key weeds																Burning Off/Grassland Destruction		
Bramble	MS	MS	MS	MS	MS	S	R	R	-	-	-	-	R	S	S	S	S	S
Broadleaved Dock	S	S	S	S	S	S	S	S	S	-	MS	MS	MR	S	S	S	S	S
Chickweed	S	S	S	S	S	S	S	R	S	R	-	MR	MS	S	S	S	S	S
Common Nettle	MS	MS	MS	MS	MR	S	MS	R	R	-	MS	MS	MS	S	S	S	S	S
Creeping Buttercup	MR	MR	S	S	S	S	R	R	S	MS	MR	MR	-	MR	MR	S	S	S
Creeping Thistle	-	-	R	R	S	S	-	R	R	MS	MS	S	S	S	S	S	S	S
Curled Dock	S	S	S	S	S	S	S	S	MS	-	MS	MS	MR	S	S	S	S	S
Daisy	S	S	S	S	S	MS	R	R	S	MS	-	MS	-	MS	MS	S	S	S
Dandelion	S	S	S	S	S	S	S	R	S	MR	-	MS	MR	MS	MS	S	S	S
Gorse	MS	MS	R	R	R	-	R	R	-	-	-	-	-	S	S	MS	MS	MS
Mouse Ear Chickweed	-	-	-	S	-	-	-	R	MS	MR	-	MR	-	-	-	S	S	S
Plantain	MS	MS	S	S	S	MS	R	R	S	S	-	S	-	MS	MS	S	S	S
Ragwort	R	R	R	R	R	S	-	R	R	MS	MS	MS	R	MR	MR	S	S	S
Soft Rush	R	R	R	R	R	R	-	R	R	MS	-	MS	R	R	R	S	S	S
Sow Thistle	-	-	R	R	S	S	-	R	R	MR	-	MR	S	S	S	S	S	S
Spear Thistle	-	-	R	R	S	S	-	R	R	MS	-	S	S	S	S	S	S	S
Willow Herb	S	S	-	-	-	S	-	R	S	MR	-	-	-	S	S	S	S	S
Yellow Iris (Fellastrum)	-	-	-	-	-	S	-	R	-	-	MS	-	-	S	S	S	S	S

Susceptible	Moderately Susceptible	Moderately Resistant	Resistant	No Information
-------------	------------------------	----------------------	-----------	----------------